





Design: 2018

Suspension lamp in four sizes providing diffused light. Venetian hand-blown acid-etched glass shade with a smooth hand-polished rim. Artisan material and process, variations occur, every lamp is unique. Adjustable screw mounted shade with adjustable steel suspension cable to balance shade evenly (S2, S3, S4). PVC clear electrical cable, L2000mm.

Dimensions	Cable Length	Weight	Materials	Lamp Colour	Cable Colour
S1 beehive: Ø160mm × H140mm	2000mm	1.0kg	Acid etched hand blown	■ White black	Clear
S2 cylinder: Ø220mm × H230mm	2000mm	1.9kg	glass, acrylic and	■White red	Clear
S3 ellipse: Ø370mm × H270mm	2000mm	3.0kg	powder-coated steel fixings,	White white	Clear
S4 ellipse: Ø450mm × H330mm	2000mm	4.1kg	steel suspension cable	Willie Wille	
			(S2, S3, S4)		

Wiring type	Supply Voltage	Bulb Colour Temperature	Lamp B	
Mains voltage	220/240V AC, 50-60Hz	3000k	S1: E14	
-	110/120V AC, 60Hz		S2: E27	

Dimmable Luminaire compatible with 25,000 hours dimming devices.

Ingress Protection Rating IP20

Bulb Life Expectancy

Bulb Lumens max 470lm (6W) max 806lm (9W) **Bulb Supplied** 220/240V LED 6W (dimmable)

220/240V LED 9W (dimmable) S3: E27 220/240V LED 9W (dimmable) S4: E27 220/240V LED 9W (dimmable) S1: E12 110/140V LED 6W (dimmable) S2: E26 110/120V LED 9W (dimmable) S3: E26 110/120V LED 9W (dimmable) S4: E26 110/120V LED 9W (dimmable) Note: Qualified electrician to advise on suitable dimmer and bulb combination.

Packaging Dimensions	Weight	Packaging Type	
S1 beehive: L260mm × D280mm × H260mm	1.6kg	Cardboard, polystyrene,	
S2 cylinder: L380mm × D350mm × H380mm	3.0kg	bubblewrap, polythene	
S3 ellipse: L500mm x D450mm x H500mm	4.5kg		
S4 ellipse: L500mm x D450mm x H500mm	5.8kg		

Notes

CE Marked

Type of Insulation

Class II (2)

Care & Maintenance

Clean with a soft dry cloth. Do not use alcohol, polishes, abrasives or any solvents to clean the product, as they may damage the material. This product is for indoor use only. Keep out of direct sunlight. Protect against exposure to heat above 60°C. Not recommended for continuous use over 16h.

